

表1. 罹患数、罹患割合（%）、粗罹患率、年齢調整罹患率（人口10万対）及び累積罹患率（人口100対）； 部位別、性別

A. 上皮内がんを除く

2011年

部位	ICD-10	罹患数			罹患割合(%)			粗罹患率			年齢調整罹患率						累積罹患率(0-74歳)		
		男	女	男女計	男	女	男女計	男	女	男女計	日本人人口			世界人口			男	女	男女計
											男	女	男女計	男	女	男女計			
全部位	C00-C96	5,590	3,908	9,498	100.0	100.0	100.0	847.6	531.7	681.1	436.6	275.3	345.6	305.4	202.1	247.4	35.8	22.0	28.5
口腔・咽頭	C00-C14	119	62	181	2.1	1.6	1.9	18.0	8.4	13.0	10.9	3.7	7.1	8.1	2.5	5.1	1.0	0.3	0.6
食道	C15	200	32	232	3.6	0.8	2.4	30.3	4.4	16.6	15.3	1.8	8.0	10.8	1.2	5.6	1.6	0.2	0.8
胃	C16	1,053	468	1,521	18.8	12.0	16.0	159.7	63.7	109.1	81.0	27.3	51.5	56.0	18.7	35.6	6.7	2.0	4.2
大腸（結腸・直腸）	C18-C20	635	511	1,146	11.4	13.1	12.1	96.3	69.5	82.2	50.2	30.0	39.1	35.1	20.9	27.4	4.3	2.3	3.3
結腸	C18	398	358	756	7.1	9.2	8.0	60.3	48.7	54.2	30.3	19.7	24.5	20.8	13.5	16.9	2.5	1.5	2.0
直腸	C19-C20	237	153	390	4.2	3.9	4.1	35.9	20.8	28.0	19.8	10.4	14.6	14.2	7.3	10.5	1.8	0.9	1.3
肝および肝内胆管	C22	406	222	628	7.3	5.7	6.6	61.6	30.2	45.0	32.0	11.4	20.8	21.6	7.4	13.9	2.4	0.8	1.5
胆のう・胆管	C23-C24	125	132	257	2.2	3.4	2.7	19.0	18.0	18.4	9.0	6.8	7.7	6.0	4.6	5.1	0.6	0.5	0.5
膵臓	C25	232	217	449	4.2	5.6	4.7	35.2	29.5	32.2	17.8	12.2	14.8	12.2	8.4	10.2	1.5	1.0	1.2
喉頭	C32	54	7	61	1.0	0.2	0.6	8.2	1.0	4.4	4.4	0.5	2.2	3.1	0.3	1.6	0.4	0.0	0.2
肺	C33-C34	931	433	1,364	16.7	11.1	14.4	141.2	58.9	97.8	69.0	24.2	43.9	46.2	16.8	29.8	5.1	2.0	3.4
皮膚	C43-C44	75	80	155	1.3	2.0	1.6	11.4	10.9	11.1	5.6	4.2	4.8	3.8	2.9	3.3	0.4	0.2	0.3
乳房	C50	5	726	731	0.1	18.6	7.7	0.8	98.8	52.4	0.3	69.0	36.8	0.3	53.2	28.3	0.0	5.8	3.1
子宮	C53-C55	-	267	267	-	6.8	2.8	-	36.3	-	-	26.3	-	-	20.2	-	-	2.2	-
子宮頸部	C53	-	123	123	-	3.1	1.3	-	16.7	-	-	12.7	-	-	9.7	-	-	1.0	-
子宮体部	C54	-	135	135	-	3.5	1.4	-	18.4	-	-	13.1	-	-	10.1	-	-	1.2	-
卵巣	C56	-	116	116	-	3.0	1.2	-	15.8	-	-	11.0	-	-	8.9	-	-	0.9	-
前立腺	C61	858	-	858	15.3	-	9.0	130.1	-	-	63.3	-	-	43.3	-	-	5.6	-	-
膀胱	C67	210	38	248	3.8	1.0	2.6	31.8	5.2	17.8	15.5	1.8	7.8	10.5	1.1	5.3	1.2	0.1	0.6
腎・尿路（膀胱除く）	C64-C66 C68	170	68	238	3.0	1.7	2.5	25.8	9.3	17.1	13.8	4.4	8.6	10.0	3.1	6.2	1.2	0.3	0.8
脳・中枢神経系	C70-C72	33	18	51	0.6	0.5	0.5	5.0	2.4	3.7	4.0	1.7	2.8	3.6	1.6	2.6	0.3	0.1	0.2
甲状腺	C73	39	111	150	0.7	2.8	1.6	5.9	15.1	10.8	4.2	11.7	8.1	3.2	9.2	6.3	0.3	1.0	0.7
悪性リンパ腫	C81-C85 C96	160	157	317	2.9	4.0	3.3	24.3	21.4	22.7	13.8	12.0	12.7	10.0	9.4	9.6	1.1	1.0	1.0
多発性骨髄腫	C88-C90	49	35	84	0.9	0.9	0.9	7.4	4.8	6.0	3.6	1.9	2.7	2.4	1.2	1.8	0.3	0.1	0.2
白血病	C91-C95	73	60	133	1.3	1.5	1.4	11.1	8.2	9.5	7.5	4.7	6.0	6.5	4.1	5.2	0.6	0.3	0.5

表1. 罹患数、罹患割合（%）、粗罹患率、年齢調整罹患率（人口10万対）及び累積罹患率（人口100対）； 部位別、性別
B. 上皮内がんを含む

2011年

部位	ICD-10	罹患数			罹患割合（%）			粗罹患率			年齢調整罹患率						累積罹患率 (0-74歳)		
		男	女	男女計	男	女	男女計	男	女	男女計	日本人人口			世界人口			男	女	男女計
											男	女	男女計	男	女	男女計			
全部位	C00-C96 D00-D09	5,856	4,230	10,086	100.0	100.0	100.0	888.0	575.5	723.2	458.0	310.4	373.9	320.8	229.8	269.0	37.7	24.7	30.8
食道	C15 D001	214	34	248	3.7	0.8	2.5	32.4	4.6	17.8	16.4	1.9	8.5	11.6	1.3	6.0	1.7	0.2	0.9
大腸（結腸・直腸）*1	C18-C20 D010-D012	770	591	1,361	13.1	14.0	13.5	116.8	80.4	97.6	61.0	35.5	47.1	42.9	24.8	33.1	5.3	2.8	4.0
結腸 *1	C18 D010	495	417	912	8.5	9.9	9.0	75.1	56.7	65.4	38.4	23.8	30.4	26.6	16.4	21.1	3.3	1.9	2.5
直腸 *1	C19-C20 D011-D012	275	174	449	4.7	4.1	4.5	41.7	23.7	32.2	22.7	11.7	16.7	16.3	8.3	12.0	2.1	1.0	1.5
肺	C33-C34 D021-D022	931	433	1,364	15.9	10.2	13.5	141.2	58.9	97.8	69.0	24.2	43.9	46.2	16.8	29.8	5.1	2.0	3.4
皮膚	C43-C44 D030-D049	87	99	186	1.5	2.3	1.8	13.2	13.5	13.3	6.4	5.2	5.7	4.4	3.5	3.9	0.5	0.3	0.4
乳房	C50 D05	5	783	788	0.1	18.5	7.8	0.8	106.5	56.5	0.3	74.8	39.9	0.3	57.6	30.6	0.0	6.3	3.3
子宮	C53-C55 D06	-	398	398	-	9.4	3.9	-	54.1	-	-	46.3	-	-	36.9	-	-	3.6	-
子宮頸部	C53 D06	-	254	254	-	6.0	2.5	-	34.6	-	-	32.7	-	-	26.4	-	-	2.4	-
膀胱	C67 D090	292	59	351	5.0	1.4	3.5	44.3	8.0	25.2	22.1	3.3	11.6	15.2	2.2	7.9	1.7	0.2	0.9

*1 粘膜がんを含む

表2. 年齢階級別罹患数、罹患割合(%) ; 部位別、性別

A. 上皮内がんを除く

2011年

性別	部位	ICD-10	0-4歳		5-9歳		10-14歳		15-19歳		20-24歳		25-29歳		30-34歳		35-39歳		40-44歳		45-49歳		50-54歳		55-59歳		60-64歳		65-69歳		70-74歳		75-79歳		80-84歳		85歳以上	
			罹患数割合(%)	罹患数割合(%)	罹患数割合(%)	罹患数割合(%)	罹患数割合(%)	罹患数割合(%)	罹患数割合(%)	罹患数割合(%)	罹患数割合(%)	罹患数割合(%)	罹患数割合(%)	罹患数割合(%)	罹患数割合(%)	罹患数割合(%)	罹患数割合(%)	罹患数割合(%)	罹患数割合(%)	罹患数割合(%)	罹患数割合(%)	罹患数割合(%)	罹患数割合(%)	罹患数割合(%)	罹患数割合(%)	罹患数割合(%)	罹患数割合(%)	罹患数割合(%)	罹患数割合(%)	罹患数割合(%)	罹患数割合(%)	罹患数割合(%)	罹患数割合(%)	罹患数割合(%)	罹患数割合(%)	罹患数割合(%)	罹患数割合(%)	
男	全部位	C00-C96	7	100.0	2	100.0	4	100.0	3	100.0	5	100.0	7	100.0	21	100.0	23	100.0	45	100.0	53	100.0	140	100.0	278	100.0	681	100.0	855	100.0	1,069	100.0	1,008	100.0	813	100.0	575	100.0
	口腔・咽頭	C00-C14	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	14.3	2	9.5	2	8.7	0	0.0	4	7.5	5	3.6	16	5.8	14	2.1	25	2.9	18	1.7	15	1.5	9	1.1	8	1.4
	食道	C15	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	2	4.4	0	0.0	4	2.9	5	1.8	22	3.2	52	6.1	53	5.0	24	2.4	25	3.1	13	2.3
	胃	C16	0	0.0	0	0.0	0	0.0	0	0.0	1	20.0	0	0.0	2	9.5	3	13.0	5	11.1	9	17.0	25	17.9	57	20.5	155	22.8	149	17.4	199	18.6	183	18.2	162	19.9	103	17.9
	大腸(結腸・直腸)	C18-C20	0	0.0	0	0.0	0	0.0	0	0.0	1	20.0	0	0.0	1	4.8	0	0.0	4	8.9	8	15.1	23	16.4	41	14.7	79	11.6	110	13.0	133	12.4	86	8.5	101	12.4	64	11.1
	結腸	C18	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	4.8	0	0.0	3	6.7	6	11.3	8	5.7	18	6.5	45	6.6	58	6.8	87	8.1	58	5.8	70	8.6	44	7.7
	直腸	C19-C20	0	0.0	0	0.0	0	0.0	0	0.0	1	20.0	0	0.0	0	0.0	0	0.0	1	2.2	2	3.8	15	10.7	23	8.3	34	5.0	36	4.2	46	4.3	28	2.8	31	3.8	20	3.5
	肝および肝内胆管	C22	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	14.3	2	9.5	1	4.3	5	11.1	8	15.1	13	9.3	17	6.1	36	5.3	48	5.6	78	7.3	105	10.4	57	7.0	35	6.1
	胆のう・胆管	C23-C24	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	2.2	1	1.9	2	1.4	4	1.4	12	1.8	16	1.9	18	1.7	23	2.3	27	3.3	21	3.7
	膵臓	C25	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	4.3	2	4.4	1	1.9	2	1.4	17	6.1	29	4.3	38	4.4	48	4.5	37	3.7	37	4.6	20	3.5
	喉頭	C32	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	1.9	4	2.9	3	1.1	7	1.0	8	0.9	10	0.9	5	0.5	8	1.0	8	1.4
	肺	C33-C34	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	3	6.7	5	9.4	18	12.9	47	16.9	93	13.7	138	16.1	149	13.9	214	21.2	147	18.1	117	20.4
	皮膚	C43-C44	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	4.8	0	0.0	1	2.2	0	0.0	1	0.7	2	0.7	14	2.1	9	1.1	11	1.0	11	1.1	15	1.9	10	1.7
	乳房	C50	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	2	0.3	0	0.0	1	0.1	1	0.1	0	0.0	1	0.2
	前立腺	C61	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	2.2	1	1.9	12	8.6	28	10.1	98	14.4	160	18.7	199	18.6	169	16.8	109	13.4	81	14.1
	膀胱	C67	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	4.3	3	6.7	3	5.7	5	3.6	4	1.4	18	2.6	24	2.8	44	4.1	41	4.1	30	3.7	36	6.3
	腎・尿路(膀胱除く)	C64-C66 C68	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	2	9.5	1	4.3	2	4.4	3	5.7	6	4.3	11	4.0	32	4.7	16	1.9	38	3.6	17	1.7	21	2.6	21	3.7
	脳・中枢神経系	C70-C72	2	28.6	0	0.0	1	25.0	0	0.0	0	0.0	0	0.0	3	14.3	2	8.7	1	2.2	0	0.0	2	1.4	4	1.4	6	0.9	4	0.5	2	0.2	4	0.4	2	0.3	0	0.0
	甲状腺	C73	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	14.3	2	9.5	2	8.7	3	6.7	1	1.9	2	1.4	3	1.1	9	1.3	5	0.6	1	0.1	6	0.6	4	0.5	0	0.0
	悪性リンパ腫	C81-C85 C96	1	14.3	0	0.0	0	0.0	0	0.0	0	0.0	2	28.6	3	14.3	3	13.0	1	2.2	5	9.4	3	2.1	8	2.9	23	3.4	23	2.7	24	2.2	32	3.2	24	3.0	8	1.4
	多発性骨髄腫	C88-C90	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	0.7	1	0.4	7	1.0	6	0.7	12	1.1	10	1.0	10	1.2	2	0.4
	白血病	C91-C95	2	28.6	1	50.0	2	50.0	1	33.3	0	0.0	1	14.3	0	0.0	0	0.0	3	6.7	0	0.0	6	4.3	3	1.1	4	0.6	12	1.4	13	1.2	10	1.0	5	0.6	7	1.2
女	全部位	C00-C96	3	100.0	2	100.0	1	100.0	4	100.0	8	100.0	10	100.0	27	100.0	57	100.0	109	100.0	145	100.0	200	100.0	272	100.0	432	100.0	400	100.0	489	100.0	523	100.0	519	100.0	706	100.0
	口腔・咽頭	C00-C14	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	2	1.4	0	0.0	8	2.9	4	0.9	7	1.8	6	1.2	9	1.7	12	2.3	14	2.0
	食道	C15	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	0.4	6	1.4	4	1.0	5	1.0	6	1.2	6	1.2	4	0.6
	胃	C16	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	0.4	6	1.4	4	1.0	5	1.0	6	1.2	6	1.2	4	0.6
	大腸(結腸・直腸)	C18-C20	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	2	7.4	3	5.3	4	3.7	3	2.1	18	9.0	33	12.1	55	12.7	46	11.5	63	12.9	78	14.9	84	16.2	107	15.2
	結腸	C18	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	3.7	3	5.3	2	1.8	2	1.4	11	5.5	15	5.5	35	8.1	29	7.3	47	9.6	55	10.5	62	12.0	96	13.6
	直腸	C19-C20	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	3.7	0	0.0	2	1.8	1	0.7	7	3.5	18	6.6	20	4.6	17	4.3	22	4.5	22	4.2	24	4.6	19	2.7
	肝および肝内胆管	C22	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	2	1.8	1	0.7	1	0.5	9	3.3	12	2.8	17	4.3	34	7.0	49	9.4	43	8.3	54	7.7
	胆のう・胆管	C23-C24	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	0.9	0	0.0	2	1.0	3	1.1	11	2.5	16	4.0	15	3.1	29	5.5	20	3.9	35	5.0
	膵臓	C25	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	3.7	0	0.0	1	0.9	2	1.4	7	3.5	7	2.6	17	3.9	31	7.8	31	6.3	26	5.0	42	8.1	52	7.4
	喉頭	C32	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	0.9	0	0.0	0	0.0	1	0.4	0	0.0	0	0.0	1	0.2	1	0.2	3	0.6	0	0.0
	肺	C33-C34	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	3.7	2	3.5	2	1.8	4	2.8	8	4.0	14	5.1	45	10.4	55	13.8	67	13.7	68	13.0	62	12.0	105	14.9
	皮膚	C43-C44	0	0.0	0	0.0	0	0.0	0	0.0	1	12.5	0	0.0	0	0.0	1	1.8	0	0.0	1	0.7	2	1.0	3	1.1	6	1.4	2	0.5	8	1.6	17	3.3	12	2.3	27	3.8
	乳房	C50	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	10.0	7	25.9	18	3																				

表2. 年齢階級別罹患数、罹患割合(%) ; 部位別、性別

B. 上皮内がんを含む

2011年

性別	部位	ICD-10	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上
			罹患数 割合(%)	罹患数 割合(%)	罹患数 割合(%)	罹患数 割合(%)	罹患数 割合(%)	罹患数 割合(%)	罹患数 割合(%)	罹患数 割合(%)	罹患数 割合(%)	罹患数 割合(%)	罹患数 割合(%)	罹患数 割合(%)	罹患数 割合(%)	罹患数 割合(%)	罹患数 割合(%)	罹患数 割合(%)	罹患数 割合(%)	罹患数 割合(%)
男	全部位	C00-C96 D00-D09	7 100.0	2 100.0	4 100.0	3 100.0	5 100.0	7 100.0	22 100.0	23 100.0	49 100.0	58 100.0	147 100.0	292 100.0	724 100.0	905 100.0	1,120 100.0	1,046 100.0	842 100.0	599 100.0
	食道	C15 D001	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	2 4.1	0 0.0	4 2.7	6 2.1	23 3.2	57 6.3	57 5.1	26 2.5	26 3.1	13 2.2
	大腸 (結腸・直腸) *1	C18-C20 D010-D012	0 0.0	0 0.0	0 0.0	0 0.0	1 20.0	0 0.0	1 4.5	0 0.0	8 16.3	11 19.0	24 16.3	48 16.4	103 14.2	120 13.3	162 14.5	103 9.9	116 13.8	73 12.2
	結腸 *1	C18 D010	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	1 4.5	0 0.0	7 14.3	9 15.5	9 6.1	22 7.5	60 8.3	80 8.8	104 9.3	71 6.8	83 9.9	49 8.2
	直腸 *1	C19-C20 D011-D012	0 0.0	0 0.0	0 0.0	0 0.0	1 20.0	0 0.0	0 0.0	0 0.0	1 2.0	2 3.4	15 10.2	26 8.9	43 5.9	40 4.4	58 5.2	32 3.1	33 3.9	24 4.0
	肺	C33-C34 D021-D022	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	3 6.1	5 8.6	18 12.2	47 16.1	93 12.8	138 15.2	149 13.3	214 20.5	147 17.5	117 19.5
	皮膚	C43-C44 D030-D049	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	1 4.5	0 0.0	1 2.0	0 0.0	1 0.7	2 0.7	15 2.1	10 1.1	15 1.3	12 1.2	17 2.0	13 2.2
	乳房	C50 D05	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	2 0.3	0 0.0	1 0.1	1 0.1	0 0.0	1 0.2
	膀胱	C67 D090	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	1 4.5	1 4.3	3 6.1	5 8.6	8 5.4	9 3.1	31 4.3	36 4.0	54 4.8	56 5.4	41 4.9	46 7.7
女	全部位	C00-C96 D00-D09	3 100.0	2 100.0	1 100.0	4 100.0	9 100.0	26 100.0	48 100.0	85 100.0	143 100.0	175 100.0	214 100.0	290 100.0	467 100.0	425 100.0	523 100.0	552 100.0	546 100.0	716 100.0
	食道	C15 D001	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	1 0.3	6 1.3	4 0.9	5 1.0	7 1.3	6 1.1	5 0.7
	大腸 (結腸・直腸) *1	C18-C20 D010-D012	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	2 4.2	3 3.5	7 4.9	4 2.3	21 9.8	38 13.1	67 14.3	55 12.9	86 16.4	87 15.8	101 18.5	120 16.8
	結腸 *1	C18 D010	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	1 2.1	3 3.5	5 3.5	2 1.1	13 6.1	18 6.2	43 9.2	36 8.5	63 12.0	64 11.6	72 13.2	97 13.6
	直腸 *1	C19-C20 D011-D012	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	1 2.1	0 0.0	2 1.4	2 1.1	8 3.7	20 6.9	24 5.1	19 4.5	23 4.4	23 4.2	29 5.3	23 3.2
	肺	C33-C34 D021-D022	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	1 2.1	2 2.4	2 1.4	4 2.3	8 3.7	14 4.8	45 9.6	55 12.9	67 12.8	68 12.3	62 11.4	105 14.7
	皮膚	C43-C44 D030-D049	0 0.0	0 0.0	0 0.0	0 0.0	1 11.1	0 0.0	0 0.0	1 1.2	0 0.0	1 0.6	3 1.4	3 1.0	7 1.5	3 0.7	12 2.3	22 4.0	16 2.9	30 4.2
	乳房	C50 D05	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	1 3.8	8 16.7	23 27.1	56 39.2	87 49.7	77 36.0	93 32.1	127 27.2	70 16.5	81 15.5	51 9.2	46 8.4	62 8.7
	子宮	C53-C55 D06	0 0.0	0 0.0	0 0.0	0 0.0	2 22.2	15 57.7	28 58.3	36 42.4	44 30.8	41 23.4	34 15.9	36 12.4	45 9.6	34 8.0	31 5.9	22 4.0	15 2.8	15 2.1
	子宮頸部	C53 D06	0 0.0	0 0.0	0 0.0	0 0.0	1 11.1	15 57.7	26 54.2	33 38.8	40 28.0	30 17.1	14 6.5	15 5.2	23 4.9	18 4.2	14 2.7	11 2.0	9 1.7	5 0.7
男女計	全部位	C00-C96 D00-D09	10 100.0	4 100.0	5 100.0	7 100.0	14 100.0	33 100.0	70 100.0	108 100.0	192 100.0	233 100.0	361 100.0	582 100.0	1,191 100.0	1,330 100.0	1,643 100.0	1,598 100.0	1,388 100.0	1,315 100.0
	食道	C15 D001	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	2 1.0	0 0.0	4 1.1	7 1.2	29 2.4	61 4.6	62 3.8	33 2.1	32 2.3	18 1.4
	大腸 (結腸・直腸) *1	C18-C20 D010-D012	0 0.0	0 0.0	0 0.0	0 0.0	1 7.1	0 0.0	3 4.3	3 2.8	15 7.8	15 6.4	45 12.5	86 14.8	170 14.3	175 13.2	248 15.1	190 11.9	217 15.6	193 14.7
	結腸 *1	C18 D010	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	2 2.9	3 2.8	12 6.3	11 4.7	22 6.1	40 6.9	103 8.6	116 8.7	167 10.2	135 8.5	155 11.2	146 11.1
	直腸 *1	C19-C20 D011-D012	0 0.0	0 0.0	0 0.0	0 0.0	1 7.1	0 0.0	1 1.4	0 0.0	3 1.6	4 1.7	23 6.4	46 7.9	67 5.6	59 4.4	81 4.9	55 3.4	62 4.5	47 3.6
	肺	C33-C34 D021-D022	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	1 1.4	2 1.9	5 2.6	9 3.9	26 7.2	61 10.5	138 11.6	193 14.5	216 13.1	282 17.7	209 15.1	222 16.9
	皮膚	C43-C44 D030-D049	0 0.0	0 0.0	0 0.0	0 0.0	1 7.1	0 0.0	1 1.4	1 0.9	1 0.5	1 0.4	4 1.1	5 0.9	22 1.8	13 1.0	27 1.6	34 2.1	33 2.4	43 3.3
	乳房	C50 D05	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	1 3.0	8 11.4	23 21.3	56 29.2	87 37.3	77 21.3	93 16.0	129 10.8	70 5.3	82 5.0	52 3.3	46 3.3	63 4.8
	子宮	C53-C55 D06	0 0.0	0 0.0	0 0.0	0 0.0	2 14.3	15 45.5	28 40.0	36 33.3	44 22.9	41 17.6	34 9.4	36 6.2	45 3.8	34 2.6	31 1.9	22 1.4	15 1.1	15 1.1
	子宮頸部	C53 D06	0 0.0	0 0.0	0 0.0	0 0.0	1 7.1	15 45.5	26 37.1	33 30.6	40 20.8	30 12.9	14 3.9	15 2.6	23 1.9	18 1.4	14 0.9	11 0.7	9 0.7	5 0.4
男女計	膀胱	C67 D090	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	1 1.4	1 0.9	3 1.6	5 2.1	9 2.5	13 2.2	37 3.1	41 3.1	62 3.8	68 4.3	53 3.8	57 4.3

*1 粘膜がんを含む

表3. 年齢階級別罹患率（人口10万対）； 部位別、性別

A. 上皮内がんを除く

2011年

性別	部位	ICD-10	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上
男	全部位	000-096	25.6	6.5	11.6	8.3	14.5	20.2	55.7	47.8	96.5	130.8	361.3	635.9	1,153.3	1,919.3	2,666.7	3,324.1	4,168.2	4,525.1
	口腔・咽頭	000-C14	0.0	0.0	0.0	0.0	0.0	2.9	5.3	4.2	0.0	9.9	12.9	36.6	23.7	56.1	44.9	49.5	46.1	63.0
	食道	C15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.3	0.0	10.3	11.4	37.3	116.7	132.2	79.1	128.2	102.3
	胃	C16	0.0	0.0	0.0	0.0	2.9	0.0	5.3	6.2	10.7	22.2	64.5	130.4	262.5	334.5	496.4	603.5	830.6	810.6
	大腸（結腸・直腸）	C18-C20	0.0	0.0	0.0	0.0	2.9	0.0	2.7	0.0	8.6	19.7	59.4	93.8	133.8	211.0	331.8	283.6	517.8	503.7
	結腸	C18	0.0	0.0	0.0	0.0	0.0	0.0	2.7	0.0	6.4	14.8	20.6	41.2	76.2	130.2	217.0	191.3	358.9	346.3
	直腸	C19-C20	0.0	0.0	0.0	0.0	2.9	0.0	0.0	0.0	2.1	4.9	38.7	52.6	57.6	80.8	114.8	92.3	158.9	157.4
	肝および肝内胆管	C22	0.0	0.0	0.0	0.0	0.0	2.9	5.3	2.1	10.7	19.7	33.5	38.9	61.0	107.8	194.6	346.3	292.2	275.4
	胆のう・胆管	C23-C24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	2.5	5.2	9.2	20.3	35.9	44.9	75.8	138.4	165.3
	膵臓	C25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	4.3	2.5	5.2	38.9	49.1	85.3	119.7	122.0	189.7	157.4
	喉頭	C32	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5	10.3	6.9	11.9	18.0	24.9	16.5	41.0	63.0
	肺	C33-C34	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.4	12.3	46.5	107.5	157.5	309.8	371.7	705.7	753.7	920.8
	皮膚	C43-C44	0.0	0.0	0.0	0.0	0.0	0.0	2.7	0.0	2.1	0.0	2.6	4.6	23.7	20.2	27.4	36.3	76.9	78.7
	乳房	C50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.4	0.0	2.5	3.3	0.0	7.9
	前立腺	C61	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	2.5	31.0	64.1	166.0	359.2	496.4	557.3	558.8	637.4
	膀胱	C67	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	6.4	7.4	12.9	9.2	30.5	53.9	109.8	135.2	153.8	283.3
	腎・尿路（膀胱除く）	C64-C66 C68	0.0	0.0	0.0	0.0	0.0	0.0	5.3	2.1	4.3	7.4	15.5	25.2	54.2	35.9	94.8	56.1	107.7	165.3
	脳・中枢神経系	C70-C72	7.3	0.0	2.9	0.0	0.0	0.0	8.0	4.2	2.1	0.0	5.2	9.2	10.2	9.0	5.0	13.2	10.3	0.0
	甲状腺	C73	0.0	0.0	0.0	0.0	0.0	2.9	5.3	4.2	6.4	2.5	5.2	6.9	15.2	11.2	2.5	19.8	20.5	0.0
	悪性リンパ腫	C81-C85 C96	3.7	0.0	0.0	0.0	0.0	5.8	8.0	6.2	2.1	12.3	7.7	18.3	39.0	51.6	59.9	105.5	123.0	63.0
	多発性骨髄腫	C88-C90	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6	2.3	11.9	13.5	29.9	33.0	51.3	15.7
	白血病	C91-C95	7.3	3.2	5.8	2.8	0.0	2.9	0.0	6.2	6.4	0.0	15.5	6.9	6.8	26.9	32.4	33.0	25.6	55.1
女	全部位	000-096	11.3	6.9	3.0	11.5	21.8	27.0	66.7	112.2	213.3	322.3	464.8	560.5	654.9	806.3	1,113.1	1,404.6	1,752.5	2,167.7
	口腔・咽頭	000-C14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.4	0.0	16.5	6.1	14.1	13.7	24.2	40.5	43.0
	食道	C15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	9.1	8.1	11.4	16.1	20.3	12.3
	胃	C16	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.9	7.8	17.8	39.5	55.6	48.5	92.7	143.4	209.5	283.6	328.5
	大腸（結腸・直腸）	C18-C20	0.0	0.0	0.0	0.0	0.0	0.0	4.9	5.9	7.8	6.7	41.8	68.0	83.4	92.7	157.1	206.8	290.4	353.1
	結腸	C18	0.0	0.0	0.0	0.0	0.0	0.0	2.5	5.9	3.9	4.4	25.6	30.9	53.1	58.5	107.0	147.7	209.4	294.8
	直腸	C19-C20	0.0	0.0	0.0	0.0	0.0	0.0	2.5	0.0	3.9	2.2	16.3	37.1	30.3	34.3	50.1	59.1	81.0	58.3
	肝および肝内胆管	C22	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.9	2.2	2.3	18.5	18.2	34.3	77.4	131.6	145.2	165.8
	胆のう・胆管	C23-C24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	0.0	4.6	6.2	16.7	32.3	34.1	77.9	67.5	107.5
	膵臓	C25	0.0	0.0	0.0	0.0	0.0	0.0	2.5	0.0	2.0	4.4	16.3	14.4	25.8	62.5	70.6	69.8	141.8	159.7
	喉頭	C32	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	0.0	0.0	2.1	0.0	0.0	2.3	2.7	10.1	0.0
	肺	C33-C34	0.0	0.0	0.0	0.0	0.0	0.0	2.5	3.9	3.9	8.9	18.6	28.9	68.2	110.9	152.5	182.6	209.4	322.4
	皮膚	C43-C44	0.0	0.0	0.0	0.0	2.7	0.0	0.0	2.0	0.0	2.2	4.6	6.2	9.1	4.0	18.2	45.7	40.5	82.9
	乳房	C50	0.0	0.0	0.0	0.0	0.0	2.7	17.3	35.4	95.9	182.3	172.0	181.3	177.4	129.0	170.7	120.9	148.6	187.3
	子宮	C53-C55	0.0	0.0	0.0	0.0	2.7	0.0	19.8	25.6	39.1	40.0	67.4	68.0	57.6	64.5	59.2	51.0	50.7	46.1
	子宮頸部	C53	0.0	0.0	0.0	0.0	0.0	0.0	14.8	19.7	31.3	15.6	20.9	24.7	24.3	32.3	20.5	21.5	30.4	15.4
	子宮体部	C54	0.0	0.0	0.0	0.0	2.7	0.0	4.9	5.9	7.8	22.2	46.5	41.2	33.4	32.3	38.7	26.9	13.5	18.4
	卵巣	C56	0.0	0.0	3.0	2.9	5.5	0.0	0.0	5.9	7.8	24.5	34.9	18.5	34.9	26.2	25.0	16.1	30.4	24.6
	膀胱	C67	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.1	2.0	13.7	26.9	20.3	33.8
	腎・尿路（膀胱除く）	C64-C66 C68	0.0	0.0	0.0	0.0	0.0	0.0	2.5	0.0	3.9	0.0	7.0	8.2	10.6	18.1	18.2	34.9	30.4	36.8
	脳・中枢神経系	C70-C72	3.8	0.0	0.0	0.0	2.7	0.0	4.9	0.0	0.0	0.0	0.0	4.1	4.5	2.0	6.8	2.7	10.1	3.1
	甲状腺	C73	0.0	0.0	0.0	0.0	5.5	5.4	9.9	13.8	19.6	13.3	25.6	24.7	19.7	36.3	27.3	16.1	20.3	6.1
悪性リンパ腫	C81-C85 C96	3.8	0.0	0.0	5.8	0.0	10.8	0.0	5.9	5.9	11.1	18.6	26.8	21.2	34.3	50.1	59.1	60.8	76.8	
多発性骨髄腫	C88-C90	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	0.0	0.0	0.0	7.6	4.0	13.7	24.2	20.3	18.4	
白血病	C91-C95	3.8	6.9	0.0	2.9	0.0	2.7	0.0	2.0	3.9	2.2	2.3	4.1	9.1	14.1	15.9	37.6	20.3	24.6	
男女計	全部位	000-096	18.5	6.7	7.4	9.9	18.3	23.7	61.4	80.9	157.6	231.6	415.7	596.3	890.3	1,332.9	1,854.3	2,266.2	2,711.8	2,829.3
	口腔・咽頭	000-C14	0.0	0.0	0.0	0.0	0.0	1.4	2.6	2.0	0.0	7.0	6.1	26.0	14.4	34.0	28.6	35.5	42.8	48.6
	食道	C15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	0.0	4.9	6.5	22.4	59.5	69.0	44.4	63.1	37.5
	胃	C16	0.0	0.0	0.0	0.0	1.4	0.0	2.6	5.1	9.2	19.9	51.4	91.1	149.6	207.1	311.8	386.3	500.8	463.8
	大腸（結腸・直腸）	C18-C20	0.0	0.0	0.0	0.0	1.4	0.0	3.8	3.0	8.2	12.9	50.1	80.2	107.2	148.7	240.4	241.3	380.7	395.4
	結腸	C18	0.0	0.0	0.0	0.0	0.0	0.0	2.6	3.0	5.1	9.4	23.2	35.8	64.0	92.4	159.5	167.3	268.7	309.2
	直腸	C19-C20	0.0	0.0	0.0	0.0	1.4	0.0	1.3	0.0	3.1	3.5	26.9	44.4	43.2	56.3	80.9	74.0	112.0	86.1
	肝および肝内胆管	C22	0.0	0.0	0.0	0.0	0.0	1.4	2.6	1.0	7.2	10.5	17.1	28.2	38.4	69.0	133.3	227.9	203.6	196.6
	胆のう・胆管	C23-C24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	1.2	4.9	7.6	18.4	34.0	39.3	77.0	95.7	123.7
	膵臓	C25	0.0	0.0	0.0	0.0	0.0	0.0	1.3	1.0	3.1	3.5	11.0	26.0	36.8	73.3	94.0	93.3	160.8	159.0
	喉頭	C32	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	1.2	4.9	4.3	5.6	8.5	13.1	8.9	22.4	17.7
	肺	C33-C34	0.0	0.0	0.0	0.0	0.0	0.0	1.3	2.0	5.1	10.5	31.8	66.1	110.4	205.0	257.1	417.4	425.5	490.3
	皮膚	C43-C44	0.0	0.0	0.0	0.0	1.4	0.0	1.3	1.0	1.0	1.2	3.7	5.4	16.0	11.7	22.6	41.4	55.0	81.7
	乳房	C5																		

表3. 年齢階級別罹患率（人口10万対）； 部位別、性別

B. 上皮内がんを含む

2011年

性別	部位	ICD-10	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上
男	全部位	C00-C96 D00-D09	25.6	6.5	11.6	8.3	14.5	20.2	58.3	47.8	105.1	143.1	379.4	668.0	1,226.1	2,031.6	2,793.9	3,449.4	4,316.8	4,713.9
	食道	C15 D001	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.3	0.0	10.3	13.7	39.0	128.0	142.2	85.7	133.3	102.3
	大腸（結腸・直腸）*1	C18-C20 D010-D012	0.0	0.0	0.0	0.0	2.9	0.0	2.7	0.0	17.2	27.1	61.9	109.8	174.4	269.4	404.1	339.7	594.7	574.5
	結腸 *1	C18 D010	0.0	0.0	0.0	0.0	0.0	0.0	2.7	0.0	15.0	22.2	23.2	50.3	101.6	179.6	259.4	234.1	425.5	385.6
	直腸 *1	C19-C20 D011-D012	0.0	0.0	0.0	0.0	2.9	0.0	0.0	0.0	2.1	4.9	38.7	59.5	72.8	89.8	144.7	105.5	169.2	188.9
	肺	C33-C34 D021-D022	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.4	12.3	46.5	107.5	157.5	309.8	371.7	705.7	753.7	920.8
	皮膚	C43-C44 D030-D049	0.0	0.0	0.0	0.0	0.0	0.0	2.7	0.0	2.1	0.0	2.6	4.6	25.4	22.4	37.4	39.6	87.2	102.3
	乳房	C50 D05	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.4	0.0	2.5	3.3	0.0	7.9
	膀胱	C67 D090	0.0	0.0	0.0	0.0	0.0	0.0	2.7	2.1	6.4	12.3	20.6	20.6	52.5	80.8	134.7	184.7	210.2	362.0
女	全部位	C00-C96 D00-D09	11.3	6.9	3.0	11.5	24.5	70.2	118.6	167.4	279.8	389.0	497.3	597.6	707.9	856.7	1,190.4	1,482.5	1,843.7	2,198.4
	食道	C15 D001	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	9.1	8.1	11.4	18.8	20.3	15.4
	大腸（結腸・直腸）*1	C18-C20 D010-D012	0.0	0.0	0.0	0.0	0.0	0.0	4.9	5.9	13.7	8.9	48.8	78.3	101.6	110.9	195.8	233.7	341.1	368.4
	結腸 *1	C18 D010	0.0	0.0	0.0	0.0	0.0	0.0	2.5	5.9	9.8	4.4	30.2	37.1	65.2	72.6	143.4	171.9	243.1	297.8
	直腸 *1	C19-C20 D011-D012	0.0	0.0	0.0	0.0	0.0	0.0	2.5	0.0	3.9	4.4	18.6	41.2	36.4	38.3	52.4	61.8	97.9	70.6
	肺	C33-C34 D021-D022	0.0	0.0	0.0	0.0	0.0	0.0	2.5	3.9	3.9	8.9	18.6	28.9	68.2	110.9	152.5	182.6	209.4	322.4
	皮膚	C43-C44 D030-D049	0.0	0.0	0.0	0.0	2.7	0.0	0.0	2.0	0.0	2.2	7.0	6.2	10.6	6.0	27.3	59.1	54.0	92.1
	乳房	C50 D05	0.0	0.0	0.0	0.0	0.0	2.7	19.8	45.3	109.6	193.4	178.9	191.7	192.5	141.1	184.4	137.0	155.3	190.4
	子宮	C53-C55 D06	0.0	0.0	0.0	0.0	5.5	40.5	69.2	70.9	86.1	91.1	79.0	74.2	68.2	68.5	70.6	59.1	50.7	46.1
	子宮頸部	C53 D06	0.0	0.0	0.0	0.0	2.7	40.5	64.2	65.0	78.3	66.7	32.5	30.9	34.9	36.3	31.9	29.5	30.4	15.4
	膀胱	C67 D090	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	8.2	9.1	10.1	18.2	32.2	40.5	33.8
男女計	全部位	C00-C96 D00-D09	18.5	6.7	7.4	9.9	19.7	46.0	89.5	109.2	196.5	272.5	441.4	631.0	952.7	1,412.5	1,955.5	2,365.3	2,825.8	2,904.4
	食道	C15 D001	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	0.0	4.9	7.6	23.2	64.8	73.8	48.8	65.1	39.8
	大腸（結腸・直腸）*1	C18-C20 D010-D012	0.0	0.0	0.0	0.0	1.4	0.0	3.8	3.0	15.3	17.5	55.0	93.2	136.0	185.9	295.2	281.2	441.8	426.3
	結腸 *1	C18 D010	0.0	0.0	0.0	0.0	0.0	0.0	2.6	3.0	12.3	12.9	26.9	43.4	82.4	123.2	198.8	199.8	315.6	322.5
	直腸 *1	C19-C20 D011-D012	0.0	0.0	0.0	0.0	1.4	0.0	1.3	0.0	3.1	4.7	28.1	49.9	53.6	62.7	96.4	81.4	126.2	103.8
	肺	C33-C34 D021-D022	0.0	0.0	0.0	0.0	0.0	0.0	1.3	2.0	5.1	10.5	31.8	66.1	110.4	205.0	257.1	417.4	425.5	490.3
	皮膚	C43-C44 D030-D049	0.0	0.0	0.0	0.0	1.4	0.0	1.3	1.0	1.0	1.2	4.9	5.4	17.6	13.8	32.1	50.3	67.2	95.0
	乳房	C50 D05	0.0	0.0	0.0	0.0	0.0	1.4	10.2	23.3	57.3	101.7	94.2	100.8	103.2	74.3	97.6	77.0	93.7	139.1
	膀胱	C67 D090	0.0	0.0	0.0	0.0	0.0	0.0	1.3	1.0	3.1	5.8	11.0	14.1	29.6	43.5	73.8	100.7	107.9	125.9

*1 粘膜がんを含む

表4. 発見経緯（%）； 部位別

A. 上皮内がんを除く

国内DCOを除く届出患者、男女計

2011年

部位	ICD-10	集計対象数	がん検診	健診 人間ドック	他疾患の 経過観察中	剖検発見	その他・不明 (症状受診を含む)
全部位	C00-C96	8,205	5.7	4.3	32.7	0.0	57.3
口腔・咽頭	C00-C14	166	0.0	0.6	16.9	0.0	82.5
食道	C15	200	3.0	3.5	25.0	0.0	68.5
胃	C16	1,305	4.9	6.6	32.4	0.0	56.1
大腸（結腸・直腸）	C18-C20	983	9.1	4.2	26.6	0.0	60.2
結腸	C18	640	9.4	4.4	29.8	0.0	56.4
直腸	C19-C20	343	8.5	3.8	20.4	0.0	67.3
肝および肝内胆管	C22	488	0.6	2.7	61.1	0.0	35.7
胆のう・胆管	C23-C24	207	1.0	1.4	33.3	0.0	64.3
膵臓	C25	362	0.0	1.1	39.0	0.0	59.9
喉頭	C32	58	0.0	1.7	13.8	0.0	84.5
肺	C33-C34	1,122	3.3	5.6	42.1	0.0	49.0
皮膚	C43-C44	145	0.7	0.0	17.2	0.0	82.1
乳房	C50	676	19.1	3.1	10.9	0.0	66.9
乳房（女性のみ）	C50	673	19.2	3.1	10.8	0.0	66.9
子宮	C53-C55	253	13.0	3.2	15.0	0.0	68.8
子宮頸部	C53	120	14.2	4.2	10.0	0.0	71.7
子宮体部	C54	129	12.4	2.3	20.2	0.0	65.1
卵巣	C56	102	2.0	2.9	26.5	0.0	68.6
前立腺	C61	794	11.1	8.2	44.0	0.0	36.8
膀胱	C67	216	0.9	1.4	25.5	0.0	72.2
腎・尿路（膀胱除く）	C64-C66 C68	211	1.9	4.7	45.0	0.0	48.3
脳・中枢神経系	C70-C72	45	0.0	0.0	13.3	0.0	86.7
甲状腺	C73	143	1.4	5.6	45.5	0.0	47.6
悪性リンパ腫	C81-C85 C96	287	0.7	1.7	26.1	0.0	71.4
多発性骨髄腫	C88-C90	73	0.0	2.7	34.2	0.0	63.0
白血病	C91-C95	116	0.0	6.0	31.0	0.0	62.9

表4. 発見経緯（%）； 部位別

B. 上皮内がんを含む

国内DCOを除く届出患者、男女計

2011年

部位	ICD-10	集計対象数	がん検診	健診 人間ドック	他疾患の 経過観察中	剖検発見	その他・不明 (症状受診を含む)
全部位	C00-C96 D00-D09	8,793	6.8	4.4	32.5	0.0	56.3
食道	C15 D001	216	2.8	3.2	27.8	0.0	66.2
大腸（結腸・直腸）*1	C18-C20 D010-D012	1,198	11.5	4.8	28.0	0.0	55.6
結腸 *1	C18 D010	796	11.8	5.4	31.0	0.0	51.8
直腸 *1	C19-C20 D011-D012	402	10.9	3.7	22.1	0.0	63.2
肺	C33-C34 D021-D022	1,122	3.3	5.6	42.1	0.0	49.0
皮膚	C43-C44 D030-D049	176	0.6	0.0	17.0	0.0	82.4
乳房	C50 D05	733	19.9	3.3	11.7	0.0	65.1
乳房（女性のみ）	C50 D05	730	20.0	3.3	11.6	0.0	65.1
子宮	C53-C55 D06	384	25.0	3.6	17.4	0.0	53.9
子宮頸部	C53 D06	251	31.9	4.4	16.3	0.0	47.4
膀胱	C67 D090	319	1.3	1.9	28.8	0.0	68.0

*1 粘膜がんを含む

表5. 臨床進行度分布 (%) ; 部位別

A. 上皮内がんを除く

国内DCOを除く届出患者、男女計

2011年

部位	ICD-10	集計対象数	限局	所属リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明
全部位	C00-C96	8,205	41.7	8.9	15.3	18.3	15.8
口腔・咽頭	C00-C14	166	34.9	21.7	31.9	3.0	8.4
食道	C15	200	26.5	15.0	28.5	18.0	12.0
胃	C16	1,305	46.9	10.0	10.4	20.0	12.7
大腸（結腸・直腸）	C18-C20	983	39.6	17.7	8.6	20.3	13.7
結腸	C18	640	38.9	18.3	10.0	18.4	14.4
直腸	C19-C20	343	40.8	16.6	6.1	23.9	12.5
肝および肝内胆管	C22	488	55.9	1.4	13.7	7.6	21.3
胆のう・胆管	C23-C24	207	13.5	4.8	38.6	26.6	16.4
膵臓	C25	362	6.1	2.8	36.7	39.5	14.9
喉頭	C32	58	69.0	6.9	10.3	0.0	13.8
肺	C33-C34	1,122	29.1	8.8	14.7	33.1	14.3
皮膚	C43-C44	145	81.4	1.4	8.3	0.7	8.3
乳房	C50	676	53.7	20.3	5.0	6.8	14.2
乳房（女性のみ）	C50	673	53.8	20.2	5.1	6.7	14.3
子宮	C53-C55	253	43.9	4.0	28.9	11.1	12.3
子宮頸部	C53	120	32.5	5.8	38.3	10.0	13.3
子宮体部	C54	129	55.8	2.3	20.9	12.4	8.5
卵巣	C56	102	18.6	2.9	45.1	18.6	14.7
前立腺	C61	794	61.5	1.8	14.2	12.6	9.9
膀胱	C67	216	75.5	1.9	6.5	4.2	12.0
腎・尿路（膀胱除く）	C64-C66 C68	211	56.4	1.9	19.0	13.7	9.0
脳・中枢神経系	C70-C72	45	55.6	0.0	15.6	0.0	28.9
甲状腺	C73	143	40.6	30.1	22.4	3.5	3.5
悪性リンパ腫	C81-C85 C96	287	27.9	0.0	18.5	35.2	18.5
多発性骨髄腫	C88-C90	73	5.5	0.0	0.0	5.5	89.0
白血病	C91-C95	116	1.7	0.0	1.7	6.9	89.7

表5. 臨床進行度分布 (%) ; 部位別

B. 上皮内がんを含む

国内DC0を除く届出患者、男女計

2011年

部位	ICD-10	集計対象数	上皮内がん	限局	所属リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明
全部位	C00-C96 D00-D09	8,793	6.5	38.9	8.3	14.3	17.1	14.9
食道	C15 D001	216	7.4	24.5	13.9	26.4	16.7	11.1
大腸（結腸・直腸）*1	C18-C20 D010-D012	1,198	17.8	32.5	14.5	7.1	16.7	11.4
結腸 *1	C18 D010	796	19.5	31.3	14.7	8.0	14.8	11.7
直腸 *1	C19-C20 D011-D012	402	14.4	34.8	14.2	5.2	20.4	10.9
肺	C33-C34 D021-D022	1,122	0.0	29.1	8.8	14.7	33.1	14.3
皮膚	C43-C44 D030-D049	176	17.6	67.0	1.1	6.8	0.6	6.8
乳房	C50 D05	733	6.8	49.5	18.7	4.6	6.3	14.1
乳房（女性のみ）	C50 D05	730	6.8	49.6	18.6	4.7	6.2	14.1
子宮	C53-C55 D06	384	33.3	28.9	2.6	19.0	7.3	8.9
子宮頸部	C53 D06	251	51.0	15.5	2.8	18.3	4.8	7.6
膀胱	C67 D090	319	31.0	51.1	1.3	4.4	2.8	9.4

*1 粘膜がんを含む

表6. 受療割合（%）； 部位別 *1

A. 上皮内がんを除く

国内DCOを除く届出患者、男女計

2011年

部位	ICD-10	集計対象数	外科・体腔鏡 内視鏡的治療	放射線療法	化学・免疫・ 内分泌療法	特異療法なしまたは 治療方法不明
全部位	C00-C96	8,205	54.7	12.0	40.3	20.6
口腔・咽頭	C00-C14	166	54.2	38.0	58.4	16.3
食道	C15	200	38.0	47.5	46.5	20.5
胃	C16	1,305	71.6	0.5	28.7	17.9
大腸（結腸・直腸）	C18-C20	983	81.7	0.9	31.9	15.3
結腸	C18	640	83.4	0.3	29.4	13.8
直腸	C19-C20	343	78.4	2.0	36.7	18.1
肝および肝内胆管	C22	488	22.5	1.2	24.6	27.3
胆のう・胆管	C23-C24	207	56.5	1.0	35.3	25.6
膵臓	C25	362	38.7	7.5	58.0	27.1
喉頭	C32	58	44.8	74.1	29.3	13.8
肺	C33-C34	1,122	33.6	19.3	38.0	30.9
皮膚	C43-C44	145	82.1	4.1	6.9	14.5
乳房	C50	676	78.3	32.4	70.6	14.6
乳房（女性のみ）	C50	673	78.3	32.5	70.6	14.7
子宮	C53-C55	253	67.6	22.9	43.5	16.2
子宮頸部	C53	120	52.5	45.0	42.5	18.3
子宮体部	C54	129	83.7	3.1	45.7	11.6
卵巣	C56	102	78.4	0.0	72.5	13.7
前立腺	C61	794	32.1	16.8	46.1	16.8
膀胱	C67	216	87.0	2.8	31.9	11.1
腎・尿路（膀胱除く）	C64-C66 C68	211	80.1	3.3	21.8	11.8
脳・中枢神経系	C70-C72	45	75.6	44.4	48.9	20.0
甲状腺	C73	143	83.9	2.8	1.4	14.0
悪性リンパ腫	C81-C85 C96	287	12.5	6.6	66.6	25.8
多発性骨髄腫	C88-C90	73	0.0	4.1	69.9	27.4
白血病	C91-C95	116	0.0	6.9	69.0	29.3

*1 重複を含むため合計は100%にならない

表6. 受療割合（%）； 部位別 *1

B. 上皮内がんを含む

国内DC0を除く届出患者、男女計

2011年

部位	ICD-10	集計対象数	外科・体腔鏡 内視鏡的治療	放射線療法	化学・免疫・ 内分泌療法	特異療法なしまたは 治療方法不明
全部位	C00-C96 D00-D09	8,793	57.3	11.4	38.1	19.6
食道	C15 D001	216	39.8	44.4	43.5	20.4
大腸（結腸・直腸）*2	C18-C20 D010-D012	1,198	84.1	0.8	26.3	13.4
結腸 *2	C18 D010	796	85.6	0.3	23.6	12.2
直腸 *2	C19-C20 D011-D012	402	81.1	1.7	31.6	15.9
肺	C33-C34 D021-D022	1,122	33.6	19.3	38.0	30.9
皮膚	C43-C44 D030-D049	176	85.2	3.4	5.7	11.9
乳房	C50 D05	733	78.9	32.7	67.7	14.6
乳房（女性のみ）	C50 D05	730	78.9	32.9	67.7	14.7
子宮	C53-C55 D06	384	76.8	15.1	28.6	12.5
子宮頸部	C53 D06	251	74.5	21.5	20.3	11.6
膀胱	C67 D090	319	88.7	1.9	29.5	8.8

*1 重複を含むため合計は100%にならない

*2 粘膜がんを含む

表7. 切除内容 (%) ; 部位別

A. 上皮内がんを除く

国内DC0を除く届出患者、男女計

2011年

部位	ICD-10	外科・体腔鏡 内視鏡治療数	完全切除	不完全切除	治癒度不明	姑息・対症 転移巣切除	不明
全部位	C00-C96	4,492	84.4	5.8	3.8	3.4	2.6
口腔・咽頭	C00-C14	90	84.4	2.2	7.8	5.6	0.0
食道	C15	76	72.4	10.5	6.6	6.6	3.9
胃	C16	934	86.6	5.4	2.2	3.0	2.8
大腸（結腸・直腸）	C18-C20	803	84.4	6.6	2.2	3.4	3.4
結腸	C18	534	84.1	7.5	1.7	2.8	3.9
直腸	C19-C20	269	85.1	4.8	3.3	4.5	2.2
肝および肝内胆管	C22	110	86.4	0.9	1.8	5.5	5.5
胆のう・胆管	C23-C24	117	50.4	17.1	7.7	16.2	8.5
膵臓	C25	140	66.4	5.0	4.3	17.1	7.1
喉頭	C32	26	61.5	7.7	11.5	11.5	7.7
肺	C33-C34	377	92.8	2.1	1.9	2.7	0.5
皮膚	C43-C44	119	96.6	0.8	2.5	0.0	0.0
乳房	C50	529	90.0	5.9	2.8	0.2	1.1
乳房（女性のみ）	C50	527	89.9	5.9	2.8	0.2	1.1
子宮	C53-C55	171	86.0	5.3	7.6	0.6	0.6
子宮頸部	C53	63	87.3	4.8	4.8	1.6	1.6
子宮体部	C54	108	85.2	5.6	9.3	0.0	0.0
卵巣	C56	80	71.3	12.5	11.3	2.5	2.5
前立腺	C61	255	89.4	2.0	4.7	0.8	3.1
膀胱	C67	188	82.4	11.7	3.7	0.5	1.6
腎・尿路（膀胱除く）	C64-C66 C68	169	90.5	3.6	3.6	0.0	2.4
脳・中枢神経系	C70-C72	34	73.5	17.6	2.9	5.9	0.0
甲状腺	C73	120	88.3	0.8	10.0	0.8	0.0
悪性リンパ腫	C81-C85 C96	36	41.7	16.7	16.7	16.7	8.3
多発性骨髄腫	C88-C90	0	...	...	...	...	...
白血病	C91-C95	0	...	...	...	...	...

表7. 切除内容（%）； 部位別
B. 上皮内がんを含む

国内DC0を除く届出患者、男女計

2011年

部位	ICD-10	外科・体腔鏡 内視鏡治療数	完全切除	不完全切除	治癒度不明	姑息・対症 転移巣切除	不明
全部位	C00-C96 D00-D09	5,037	85.3	5.4	3.6	3.0	2.7
食道	C15 D001	86	75.6	9.3	5.8	5.8	3.5
大腸（結腸・直腸）*1	C18-C20 D010-D012	1,007	85.6	5.4	2.4	2.7	4.0
結腸 *1	C18 D010	681	85.2	5.9	1.9	2.2	4.8
直腸 *1	C19-C20 D011-D012	326	86.5	4.3	3.4	3.7	2.1
肺	C33-C34 D021-D022	377	92.8	2.1	1.9	2.7	0.5
皮膚	C43-C44 D030-D049	150	97.3	0.7	2.0	0.0	0.0
乳房	C50 D05	578	90.7	5.5	2.6	0.2	1.0
乳房（女性のみ）	C50 D05	576	90.6	5.6	2.6	0.2	1.0
子宮	C53-C55 D06	295	89.5	3.1	5.8	0.3	1.4
子宮頸部	C53 D06	187	92.0	1.6	3.7	0.5	2.1
膀胱	C67 D090	283	85.2	10.6	2.8	0.4	1.1

*1 粘膜がんを含む

表8. 精度指標： 部位別、性別

A. 上皮内がんを除く

2011年

部位	ICD-10	罹患／死亡比 (IM比)			死亡情報で初めて 把握された症例 DCN (%)			死亡情報のみの 症例 DCO (%)			国際 DCO (%)			病理学的裏付けの ある症例 MV (%)			組織学的裏付けの ある症例 HV (%)		
		男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計
全部位	C00-C96	2.39	2.27	2.34	22.4	24.0	23.0	12.9	14.6	13.6	12.1	14.0	12.9	76.9	74.3	75.8	71.1	68.8	70.2
口腔・咽頭	C00-C14	2.29	2.21	2.26	10.1	14.5	11.6	5.9	12.9	8.3	5.9	11.3	7.7	89.9	83.9	87.8	86.6	82.3	85.1
食道	C15	2.02	1.78	1.98	22.0	18.8	21.6	13.5	15.6	13.8	13.5	15.6	13.8	80.0	81.3	80.2	78.5	81.3	78.9
胃	C16	2.76	1.99	2.47	21.3	29.9	23.9	12.0	19.2	14.2	11.6	19.2	13.9	84.4	76.1	81.9	83.5	74.4	80.7
大腸（結腸・直腸）	C18-C20	2.86	2.34	2.60	23.1	24.9	23.9	13.9	14.7	14.2	13.9	14.5	14.1	80.9	78.3	79.8	79.7	77.7	78.8
結腸	C18	2.91	2.20	2.52	21.6	26.5	23.9	14.1	16.8	15.3	14.1	16.5	15.2	80.7	75.4	78.2	79.6	74.9	77.4
直腸	C19-C20	2.79	2.78	2.79	25.7	20.9	23.8	13.5	9.8	12.1	13.5	9.8	12.1	81.4	85.0	82.8	79.7	84.3	81.5
肝および肝内胆管	C22	1.85	1.61	1.76	37.2	42.8	39.2	20.9	24.8	22.3	20.7	24.8	22.1	30.8	22.5	27.9	27.6	22.1	25.6
胆のう・胆管	C23-C24	1.40	1.32	1.36	38.4	38.6	38.5	15.2	23.5	19.5	15.2	23.5	19.5	63.2	44.7	53.7	52.8	37.1	44.7
膵臓	C25	1.25	1.36	1.31	32.8	30.9	31.8	18.5	20.3	19.4	18.1	20.3	19.2	50.9	45.6	48.3	40.5	36.4	38.5
喉頭	C32	6.00	...	6.78	5.6	14.3	6.6	3.7	14.3	4.9	3.7	14.3	4.9	92.6	85.7	91.8	90.7	85.7	90.2
肺	C33-C34	1.52	1.89	1.62	28.4	28.6	28.4	17.2	18.9	17.7	15.1	17.8	16.0	70.9	67.2	69.7	49.1	47.6	48.6
皮膚	C43-C44	6.25	11.43	8.16	6.7	6.3	6.5	6.7	6.3	6.5	2.7	3.8	3.2	97.3	93.8	95.5	97.3	92.5	94.8
乳房	C50	5.00	4.87	4.87	40.0	14.3	14.5	40.0	7.3	7.5	40.0	7.2	7.4	60.0	89.0	88.8	60.0	86.2	86.0
子宮	C53-C55	-	4.17	4.17	-	9.4	9.4	-	5.2	5.2	-	5.2	5.2	-	91.4	91.4	-	85.0	85.0
子宮頸部	C53	-	4.92	4.92	-	5.7	5.7	-	2.4	2.4	-	2.4	2.4	-	95.9	95.9	-	89.4	89.4
子宮体部	C54	-	5.40	5.40	-	8.1	8.1	-	4.4	4.4	-	4.4	4.4	-	92.6	92.6	-	85.9	85.9
卵巣	C56	-	1.81	1.81	-	26.7	26.7	-	12.1	12.1	-	12.1	12.1	-	80.2	80.2	-	75.0	75.0
前立腺	C61	7.46	-	7.46	11.9	-	11.9	7.5	-	7.5	7.5	-	7.5	87.4	-	87.4	87.2	-	87.2
膀胱	C67	4.67	1.36	3.40	18.6	31.6	20.6	12.4	15.8	12.9	12.4	15.8	12.9	84.3	78.9	83.5	80.0	76.3	79.4
腎・尿路（膀胱除く）	C64-C66 C68	3.04	2.13	2.70	14.7	26.5	18.1	9.4	16.2	11.3	5.9	16.2	8.8	88.2	75.0	84.5	84.7	70.6	80.7
脳・中枢神経系	C70-C72	2.36	3.60	2.68	12.1	27.8	17.6	9.1	16.7	11.8	6.1	16.7	9.8	84.8	83.3	84.3	84.8	83.3	84.3
甲状腺	C73	9.75	8.54	8.82	5.1	6.3	6.0	5.1	4.5	4.7	5.1	4.5	4.7	87.2	95.5	93.3	82.1	83.8	83.3
悪性リンパ腫	C81-C85 C96	2.39	2.53	2.46	21.3	14.6	18.0	8.8	10.2	9.5	6.3	10.2	8.2	88.8	84.1	86.4	88.8	84.1	86.4
多発性骨髄腫	C88-C90	2.04	1.59	1.83	32.7	31.4	32.1	16.3	8.6	13.1	16.3	8.6	13.1	65.3	71.4	67.9	57.1	68.6	61.9
白血病	C91-C95	1.70	1.71	1.71	20.5	35.0	27.1	8.2	18.3	12.8	0.0	3.3	1.5	100.0	95.0	97.7	86.3	65.0	76.7

表8. 精度指標； 部位別、性別

A. 上皮内がんを除く

2011年

部位	ICD-10	死亡情報で初めて 把握された症例 DCN (%)			死亡情報のみの 症例 DCO (%)			国際 DCO (%)			病理学的裏付けの ある症例 MV (%)			組織学的裏付けの ある症例 HV (%)		
		男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計
全部位	C00-C96	22.4	24.0	23.0	12.9	14.6	13.6	12.1	14.0	12.9	76.9	74.3	75.8	71.1	68.8	70.2
口腔・咽頭	C00-C14	10.1	14.5	11.6	5.9	12.9	8.3	5.9	11.3	7.7	89.9	83.9	87.8	86.6	82.3	85.1
食道	C15	22.0	18.8	21.6	13.5	15.6	13.8	13.5	15.6	13.8	80.0	81.3	80.2	78.5	81.3	78.9
胃	C16	21.3	29.9	23.9	12.0	19.2	14.2	11.6	19.2	13.9	84.4	76.1	81.9	83.5	74.4	80.7
大腸（結腸・直腸）	C18-C20	23.1	24.9	23.9	13.9	14.7	14.2	13.9	14.5	14.1	80.9	78.3	79.8	79.7	77.7	78.8
結腸	C18	21.6	26.5	23.9	14.1	16.8	15.3	14.1	16.5	15.2	80.7	75.4	78.2	79.6	74.9	77.4
直腸	C19-C20	25.7	20.9	23.8	13.5	9.8	12.1	13.5	9.8	12.1	81.4	85.0	82.8	79.7	84.3	81.5
肝および肝内胆管	C22	37.2	42.8	39.2	20.9	24.8	22.3	20.7	24.8	22.1	30.8	22.5	27.9	27.6	22.1	25.6
胆のう・胆管	C23-C24	38.4	38.6	38.5	15.2	23.5	19.5	15.2	23.5	19.5	63.2	44.7	53.7	52.8	37.1	44.7
膵臓	C25	32.8	30.9	31.8	18.5	20.3	19.4	18.1	20.3	19.2	50.9	45.6	48.3	40.5	36.4	38.5
喉頭	C32	5.6	14.3	6.6	3.7	14.3	4.9	3.7	14.3	4.9	92.6	85.7	91.8	90.7	85.7	90.2
肺	C33-C34	28.4	28.6	28.4	17.2	18.9	17.7	15.1	17.8	16.0	70.9	67.2	69.7	49.1	47.6	48.6
皮膚	C43-C44	6.7	6.3	6.5	6.7	6.3	6.5	2.7	3.8	3.2	97.3	93.8	95.5	97.3	92.5	94.8
乳房	C50	40.0	14.3	14.5	40.0	7.3	7.5	40.0	7.2	7.4	60.0	89.0	88.8	60.0	86.2	86.0
子宮	C53-C55	-	9.4	9.4	-	5.2	5.2	-	5.2	5.2	-	91.4	91.4	-	85.0	85.0
子宮頸部	C53	-	5.7	5.7	-	2.4	2.4	-	2.4	2.4	-	95.9	95.9	-	89.4	89.4
子宮体部	C54	-	8.1	8.1	-	4.4	4.4	-	4.4	4.4	-	92.6	92.6	-	85.9	85.9
卵巣	C56	-	26.7	26.7	-	12.1	12.1	-	12.1	12.1	-	80.2	80.2	-	75.0	75.0
前立腺	C61	11.9	-	11.9	7.5	-	7.5	7.5	-	7.5	87.4	-	87.4	87.2	-	87.2
膀胱	C67	18.6	31.6	20.6	12.4	15.8	12.9	12.4	15.8	12.9	84.3	78.9	83.5	80.0	76.3	79.4
腎・尿路（膀胱除く）	C64-C66 C68	14.7	26.5	18.1	9.4	16.2	11.3	5.9	16.2	8.8	88.2	75.0	84.5	84.7	70.6	80.7
脳・中枢神経系	C70-C72	12.1	27.8	17.6	9.1	16.7	11.8	6.1	16.7	9.8	84.8	83.3	84.3	84.8	83.3	84.3
甲状腺	C73	5.1	6.3	6.0	5.1	4.5	4.7	5.1	4.5	4.7	87.2	95.5	93.3	82.1	83.8	83.3
悪性リンパ腫	C81-C85 C96	21.3	14.6	18.0	8.8	10.2	9.5	6.3	10.2	8.2	88.8	84.1	86.4	88.8	84.1	86.4
多発性骨髄腫	C88-C90	32.7	31.4	32.1	16.3	8.6	13.1	16.3	8.6	13.1	65.3	71.4	67.9	57.1	68.6	61.9
白血病	C91-C95	20.5	35.0	27.1	8.2	18.3	12.8	0.0	3.3	1.5	100.0	95.0	97.7	86.3	65.0	76.7

表8. 精度指標； 部位別、性別

B. 上皮内がんを含む

2011年

部位	ICD-10	罹患／死亡比 (IM比)			死亡情報で初めて 把握された症例 DCN (%)			死亡情報のみの 症例 DCO (%)			国際 DCO (%)			病理学的裏付けの ある症例 MV (%)			組織学的裏付けの ある症例 HV (%)		
		男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計
全部位	C00-C96 D00-D09	2.50	2.46	2.48	21.4	22.1	21.7	12.3	13.5	12.8	11.5	13.0	12.1	77.9	76.3	77.2	72.4	70.9	71.8
食道	C15 D001	2.16	1.89	2.12	20.6	17.6	20.2	12.6	14.7	12.9	12.6	14.7	12.9	81.3	82.4	81.5	79.9	82.4	80.2
大腸（結腸・直腸）*1	C18-C20 D010-D012	3.47	2.71	3.09	19.1	21.5	20.1	11.4	12.7	12.0	11.4	12.5	11.9	84.3	81.2	83.0	83.1	80.5	82.0
結腸 *1	C18 D010	3.61	2.56	3.04	17.4	22.8	19.8	11.3	14.4	12.7	11.3	14.1	12.6	84.4	78.9	81.9	83.4	78.4	81.1
直腸 *1	C19-C20 D011-D012	3.24	3.16	3.21	22.2	18.4	20.7	11.6	8.6	10.5	11.6	8.6	10.5	84.0	86.8	85.1	82.5	85.6	83.7
肺	C33-C34 D021-D022	1.52	1.89	1.62	28.4	28.6	28.4	17.2	18.9	17.7	15.1	17.8	16.0	70.9	67.2	69.7	49.1	47.6	48.6
皮膚	C43-C44 D030-D049	7.25	14.14	9.79	5.7	5.1	5.4	5.7	5.1	5.4	2.3	3.0	2.7	97.7	94.9	96.2	97.7	93.9	95.7
乳房	C50 D05	5.00	5.26	5.25	40.0	13.3	13.5	40.0	6.8	7.0	40.0	6.6	6.9	60.0	89.8	89.6	60.0	86.7	86.5
子宮	C53-C55 D06	-	6.22	6.22	-	6.3	6.3	-	3.5	3.5	-	3.5	3.5	-	94.2	94.2	-	88.4	88.4
子宮頸部	C53 D06	-	10.16	10.16	-	2.8	2.8	-	1.2	1.2	-	1.2	1.2	-	98.0	98.0	-	92.5	92.5
膀胱	C67 D090	6.49	2.11	4.81	13.4	20.3	14.5	8.9	10.2	9.1	8.9	10.2	9.1	88.7	86.4	88.3	85.3	83.1	84.9

*1 粘膜がんを含む

表8. 精度指標； 部位別、性別
B'. 上皮内がんを含む

2011年

部位	ICD-10	死亡情報で初めて 把握された症例 DCN (%)			死亡情報のみの 症例 DCO (%)			国際 DCO (%)			病理学的裏付けの ある症例 MV (%)			組織学的裏付けの ある症例 HV (%)		
		男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計
全部位	C00-C96 D00-D09	21.4	22.1	21.7	12.3	13.5	12.8	11.5	13.0	12.1	77.9	76.3	77.2	72.4	70.9	71.8
食道	C15 D001	20.6	17.6	20.2	12.6	14.7	12.9	12.6	14.7	12.9	81.3	82.4	81.5	79.9	82.4	80.2
大腸（結腸・直腸）*1	C18-C20 D010-D012	19.1	21.5	20.1	11.4	12.7	12.0	11.4	12.5	11.9	84.3	81.2	83.0	83.1	80.5	82.0
結腸 *1	C18 D010	17.4	22.8	19.8	11.3	14.4	12.7	11.3	14.1	12.6	84.4	78.9	81.9	83.4	78.4	81.1
直腸 *1	C19-C20 D011-D012	22.2	18.4	20.7	11.6	8.6	10.5	11.6	8.6	10.5	84.0	86.8	85.1	82.5	85.6	83.7
肺	C33-C34 D021-D022	28.4	28.6	28.4	17.2	18.9	17.7	15.1	17.8	16.0	70.9	67.2	69.7	49.1	47.6	48.6
皮膚	C43-C44 D030-D049	5.7	5.1	5.4	5.7	5.1	5.4	2.3	3.0	2.7	97.7	94.9	96.2	97.7	93.9	95.7
乳房	C50 D05	40.0	13.3	13.5	40.0	6.8	7.0	40.0	6.6	6.9	60.0	89.8	89.6	60.0	86.7	86.5
子宮	C53-C55 D06	-	6.3	6.3	-	3.5	3.5	-	3.5	3.5	-	94.2	94.2	-	88.4	88.4
子宮頸部	C53 D06	-	2.8	2.8	-	1.2	1.2	-	1.2	1.2	-	98.0	98.0	-	92.5	92.5
膀胱	C67 D090	13.4	20.3	14.5	8.9	10.2	9.1	8.9	10.2	9.1	88.7	86.4	88.3	85.3	83.1	84.9

*1 粘膜がんを含む

表9. 死亡数、死亡割合（％）、粗死亡率、年齢調整死亡率（人口10万対）及び累積死亡率（人口100対）； 部位別、性別

2011年

部位	ICD-10	死亡数			死亡割合(%)			粗死亡率			年齢調整死亡率						累積死亡率(0-74歳)		
		男	女	男女計	男	女	男女計	男	女	男女計	日本人人口			世界人口			男	女	男女計
											男	女	男女計	男	女	男女計			
全部位	C00-C97	2,338	1,723	4,061	100.0	100.0	100.0	354.5	234.4	291.2	169.6	96.5	127.8	114.5	67.7	87.8	12.0	6.7	9.2
口腔・咽頭	C00-C14	52	28	80	2.2	1.6	2.0	7.9	3.8	5.7	4.1	1.6	2.8	3.0	1.1	2.0	0.4	0.1	0.2
食道	C15	99	18	117	4.2	1.0	2.9	15.0	2.4	8.4	7.4	1.0	3.8	5.0	0.7	2.6	0.6	0.1	0.3
胃	C16	381	235	616	16.3	13.6	15.2	57.8	32.0	44.2	27.3	12.4	18.9	18.6	8.7	13.0	2.0	0.9	1.4
大腸（結腸・直腸）	C18-C20	222	218	440	9.5	12.7	10.8	33.7	29.7	31.6	16.0	11.5	13.5	10.9	8.0	9.3	1.2	0.8	1.0
結腸	C18	137	163	300	5.9	9.5	7.4	20.8	22.2	21.5	9.6	8.0	8.7	6.5	5.5	5.9	0.7	0.5	0.6
直腸	C19-C20	85	55	140	3.6	3.2	3.4	12.9	7.5	10.0	6.4	3.5	4.8	4.4	2.5	3.4	0.5	0.3	0.4
肝および肝内胆管	C22	219	138	357	9.4	8.0	8.8	33.2	18.8	25.6	16.0	6.8	10.9	10.5	4.5	7.2	1.1	0.3	0.7
胆のう・胆管	C23-C24	89	100	189	3.8	5.8	4.7	13.5	13.6	13.6	6.3	4.8	5.4	4.2	3.2	3.6	0.4	0.3	0.4
膵臓	C25	185	159	344	7.9	9.2	8.5	28.1	21.6	24.7	13.7	8.4	10.8	9.4	5.8	7.4	1.1	0.6	0.9
喉頭	C32	9	0	9	0.4	0.0	0.2	1.4	0.0	0.6	0.8	0.0	0.4	0.6	0.0	0.3	0.1	0.0	0.0
肺	C33-C34	614	229	843	26.3	13.3	20.8	93.1	31.2	60.4	43.7	10.4	25.0	28.8	6.9	16.5	2.9	0.6	1.7
皮膚	C43-C44	12	7	19	0.5	0.4	0.5	1.8	1.0	1.4	0.8	0.3	0.5	0.6	0.3	0.4	0.0	0.0	0.0
乳房	C50	1	149	150	0.0	8.6	3.7	0.2	20.3	10.8	0.1	11.9	6.4	0.0	8.9	4.8	0.0	1.0	0.5
子宮	C53-C55	-	64	64	-	3.7	1.6	-	8.7	-	-	5.3	-	-	4.0	-	-	0.4	-
子宮頸部	C53	-	25	25	-	1.5	0.6	-	3.4	-	-	2.5	-	-	2.0	-	-	0.2	-
子宮体部	C54	-	25	25	-	1.5	0.6	-	3.4	-	-	1.9	-	-	1.4	-	-	0.2	-
卵巣	C56	-	64	64	-	3.7	1.6	-	8.7	-	-	4.7	-	-	3.4	-	-	0.4	-
前立腺	C61	115	-	115	4.9	-	2.8	17.4	-	-	7.2	-	-	4.6	-	-	0.3	-	-
膀胱	C67	45	28	73	1.9	1.6	1.8	6.8	3.8	5.2	2.9	1.2	1.9	1.9	0.7	1.2	0.1	0.1	0.1
腎・尿路（膀胱除く）	C64-C66 C68	56	32	88	2.4	1.9	2.2	8.5	4.4	6.3	3.9	1.9	2.7	2.5	1.4	1.8	0.2	0.1	0.2
脳・中枢神経系	C70-C72	14	5	19	0.6	0.3	0.5	2.1	0.7	1.4	1.6	0.5	1.0	1.4	0.4	0.9	0.1	0.0	0.1
甲状腺	C73	4	13	17	0.2	0.8	0.4	0.6	1.8	1.2	0.3	0.7	0.5	0.2	0.5	0.3	0.0	0.0	0.0
悪性リンパ腫	C81-C85 C96	67	62	129	2.9	3.6	3.2	10.2	8.4	9.3	5.2	3.2	4.1	3.6	2.2	2.8	0.4	0.3	0.3
多発性骨髄腫	C88-C90	24	22	46	1.0	1.3	1.1	3.6	3.0	3.3	1.7	1.2	1.4	1.1	0.8	0.9	0.1	0.1	0.1
白血病	C91-C95	43	35	78	1.8	2.0	1.9	6.5	4.8	5.6	3.6	2.3	2.9	2.7	1.7	2.1	0.3	0.2	0.2

表10. 年齢階級別死亡数、死亡割合(%) ; 部位別、性別

2011年

性別	部位	ICD-10	0-4歳		5-9歳		10-14歳		15-19歳		20-24歳		25-29歳		30-34歳		35-39歳		40-44歳		45-49歳		50-54歳		55-59歳		60-64歳		65-69歳		70-74歳		75-79歳		80-84歳		85歳以上			
			死亡数	割合(%)	死亡数	割合(%)	死亡数	割合(%)	死亡数	割合(%)	死亡数	割合(%)	死亡数	割合(%)	死亡数	割合(%)	死亡数	割合(%)	死亡数	割合(%)	死亡数	割合(%)	死亡数	割合(%)	死亡数	割合(%)	死亡数	割合(%)	死亡数	割合(%)	死亡数	割合(%)	死亡数	割合(%)	死亡数	割合(%)	死亡数	割合(%)		
男	全部位	C00-C97	1	100.0	0	0.0	0	0.0	0	0.0	0	0.0	2	100.0	5	100.0	4	100.0	14	100.0	11	100.0	37	100.0	81	100.0	264	100.0	286	100.0	380	100.0	426	100.0	436	100.0	391	100.0		
	口腔・咽頭	C00-C14	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	3	8.1	3	3.7	13	4.9	7	2.4	8	2.1	7	1.6	5	1.2	6	1.5		
	食道	C15	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	2	5.4	5	6.2	12	4.5	19	6.6	18	4.7	13	3.1	20	4.6	10	2.6		
	胃	C16	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	20.0	0	0.0	1	7.1	1	9.1	6	16.2	10	12.3	55	20.8	45	15.7	67	17.6	67	15.7	64	14.7	64	16.4
	大腸(結腸・直腸)	C18-C20	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	2	18.2	4	10.8	7	8.6	25	9.5	31	10.8	38	10.0	43	10.1	34	7.8	38	9.7		
	結腸	C18	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	9.1	2	5.4	2	2.5	14	5.3	21	7.3	21	5.5	25	5.9	24	5.5	27	6.9		
	直腸	C19-C20	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	9.1	2	5.4	5	6.2	11	4.2	10	3.5	17	4.5	18	4.2	10	2.3	11	2.8		
	肝および肝内胆管	C22	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	20.0	0	0.0	2	14.3	2	18.2	4	10.8	4	4.9	20	7.6	26	9.1	40	10.5	56	13.2	38	8.7	26	6.7
	胆のう・胆管	C22-C24	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	2	14.3	0	0.0	5	6.2	7	2.7	9	3.1	14	3.7	13	3.1	20	4.6	19	4.9		
	膵臓	C25	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	7.1	2	18.2	3	8.1	6	7.4	25	9.5	28	9.8	35	9.2	31	7.3	32	7.3	22	5.6
	喉頭	C32	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	2.7	1	2.7	1	0.3	0	0.0	1	0.3	0	0.0	0	0.0	1	0.2	0	0.0	1	0.2
	肺	C33-C34	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	3	21.4	2	18.2	7	18.9	25	30.9	62	23.5	71	24.8	93	24.5	128	30.1	122	28.0	101	25.8
	皮膚	C43-C44	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	1.2	1	0.4	2	0.7	0	0.0	1	0.2	2	0.5	5	1.3		
	乳房	C50	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	前立腺	C61	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	1.2	5	1.9	8	2.8	15	3.9	13	3.1	33	7.6	40	10.2
	膀胱	C67	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	2.7	1	1.2	1	0.4	2	0.7	7	1.8	7	1.6	10	2.3	16	4.1	7	1.4		
	腎・尿路(膀胱除く)	C64-C66 C68	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	25.0	0	0.0	0	0.0	0	0.0	4	4.9	6	2.3	3	1.0	5	1.3	9	2.1	15	3.4	13	3.3		
	脳・中枢神経系	C70-C72	1	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	20.0	0	0.0	1	7.1	0	0.0	0	0.0	2	2.5	1	0.4	4	1.4	1	0.3	3	0.7	0	0.0	0	0.0
	甲状腺	C73	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	0.3	0	0.0	3	0.7	0	0.0	0	0.0	0	0.0
	悪性リンパ腫	C81-C85 C96	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	50.0	1	20.0	1	25.0	0	0.0	1	9.1	1	2.7	1	1.2	8	3.0	8	2.8	11	2.9	13	3.1	15	3.4	6	1.5
	多発性骨髄腫	C88-C90	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	1.2	3	1.1	3	1.0	5	1.3	5	1.2	7	1.6	0	0.0
	白血病	C91-C95	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	50.0	1	20.0	1	25.0	1	7.1	0	0.0	1	2.7	1	1.2	9	3.4	5	1.7	9	2.4	5	1.2	4	0.9	5	1.3
女	全部位	C00-C97	2	100.0	0	0.0	0	0.0	0	0.0	2	100.0	2	100.0	6	100.0	11	100.0	20	100.0	36	100.0	43	100.0	83	100.0	138	100.0	147	100.0	174	100.0	249	100.0	306	100.0	391	100.0		
	口腔・咽頭	C00-C14	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	9.1	0	0.0	1	2.8	2	4.7	0	0.0	2	1.4	1	0.7	1	0.6	4	1.6	9	2.9	7	1.4		
	食道	C15	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	1.2	2	1.4	3	2.0	1	0.6	4	1.6	4	1.3	3	0.6		
	胃	C16	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	16.7	0	0.0	7	35.0	2	5.6	4	9.3	12	14.5	17	12.3	23	15.6	20	11.5	27	10.8	37	12.1	85	16.9		
	大腸(結腸・直腸)	C18-C20	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	16.7	1	9.1	3	15.0	2	5.6	7	16.3	7	8.4	20	14.5	16	10.9	26	14.9	21	8.4	44	14.4	70	13.9		
	結腸	C18	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	16.7	1	9.1	3	15.0	2	5.6	3	7.0	2	2.4	11	8.0	12	8.2	16	9.2	17	6.8	36	11.8	59	11.7		
	直腸	C19-C20	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	4	9.3	5	6.0	9	6.5	4	2.7	10	5.7	4	1.6	8	2.6	11	2.2				
	肝および肝内胆管	C22	1	50.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	2	14.3	2	18.2	3	7.0	2	2.4	12	9.5	33	13.3	36	11.8	37	12.1	85	16.9		
	胆のう・胆管	C22-C24	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	2	4.7	4	9.3	4	6.8	6	4.3	9	6.1	9	5.2	18	7.2	17	5.6	35	6.9		
	膵臓	C25	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	3	8.3	1	2.3	7	8.4	9	6.5	24	16.3	19	10.9	26	10.4	26	8.5	44	8.7		
	喉頭	C32	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	肺	C33-C34	1	100.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	16.7	0	0.0	0	0.0	2	5.6	2	4.7	7	8.4	11	8.0	15	10.2	23	13.2	31	12.5	50	16.3	87	17.3		
	皮膚	C43-C44	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	1.2	1	0.7	0	0.0	1	0.6	0	0.0	0	0.0	4	0.8		
	乳房	C50	0	0.0	0	0.0	0	0.0	0	0.0																														

表11. 年齢階級別死亡率（人口10万対）： 部位別、性別

2011年

性別	部位	ICD-10	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上
男	全部位	000-C97	3.7	0.0	0.0	0.0	0.0	5.8	13.3	8.3	30.0	27.1	95.5	185.3	447.1	642.0	947.9	1,404.8	2,235.3	3,077.0
	口腔・咽頭	000-C14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.7	6.9	22.0	15.7	20.0	23.1	25.6	47.2
	食道	C15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.2	11.4	20.3	42.7	44.9	42.9	102.5	78.7
	胃	C16	0.0	0.0	0.0	0.0	0.0	0.0	2.7	0.0	2.1	2.5	15.5	22.9	93.1	101.0	167.1	220.9	328.1	503.7
	大腸（結腸・直腸）	C18-C20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.9	10.3	16.0	42.3	69.6	94.8	141.8	174.3	299.0
	結腸	C18	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5	5.2	4.6	23.7	47.1	52.4	82.4	123.0	212.5
	直腸	C19-C20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5	5.2	11.4	18.6	22.4	42.4	59.4	51.3	86.6
	肝および肝内胆管	C22	0.0	0.0	0.0	0.0	0.0	0.0	2.7	0.0	4.3	4.9	10.3	9.2	33.9	58.4	99.8	184.7	194.8	204.6
	胆のう・胆管	C23-C24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.3	0.0	0.0	11.4	11.9	20.2	34.9	42.9	102.5	149.5
	膵臓	C25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	4.9	7.7	13.7	42.3	62.9	87.3	102.2	164.1	173.1
	喉頭	C32	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6	2.3	3.4	2.2	7.5	0.0	5.1	0.0
	肺	C33-C34	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.4	4.9	18.1	57.2	105.0	159.4	232.0	422.1	625.5	794.8
	皮膚	C43-C44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	1.7	4.5	0.0	3.3	10.3	39.3
	乳房	C50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.9
	前立腺	C61	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	8.5	18.0	37.4	42.9	169.2	314.8
	膀胱	C67	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6	2.3	1.7	4.5	17.5	23.1	51.3	125.9
	腎・尿路（膀胱除く）	C64-C66 C68	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	0.0	0.0	9.2	10.2	6.7	12.5	29.7	76.9	102.3
	脳・中枢神経系	C70-C72	3.7	0.0	0.0	0.0	0.0	0.0	2.7	0.0	2.1	0.0	0.0	4.6	1.7	9.0	2.5	9.9	0.0	0.0
	甲状腺	C73	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2	0.0	9.9	0.0
	悪性リンパ腫	C81-C85 C96	0.0	0.0	0.0	0.0	0.0	2.9	2.7	2.1	0.0	2.5	2.6	2.3	13.5	18.0	27.4	42.9	76.9	47.2
	多発性骨髄腫	C88-C90	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	5.1	6.7	12.5	16.5	35.9	0.0
	白血病	C91-C95	0.0	0.0	0.0	0.0	0.0	2.9	2.7	2.1	2.1	0.0	2.6	2.3	15.2	11.2	22.5	16.5	20.5	39.3
女	全部位	000-C97	7.5	0.0	0.0	0.0	5.5	5.4	14.8	21.7	39.1	80.0	99.9	171.0	209.2	296.3	396.1	668.7	1,033.3	1,547.5
	口腔・咽頭	000-C14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	0.0	2.2	4.6	0.0	3.0	2.0	2.3	10.7	30.4	21.5
	食道	C15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	3.0	6.0	2.3	10.7	13.5	9.2
	胃	C16	0.0	0.0	0.0	0.0	0.0	0.0	2.5	0.0	13.7	4.4	9.3	24.7	25.8	46.4	45.5	72.5	124.9	261.0
	大腸（結腸・直腸）	C18-C20	0.0	0.0	0.0	0.0	0.0	0.0	2.5	2.0	5.9	4.4	16.3	14.4	30.3	32.3	59.2	56.4	148.6	214.9
	結腸	C18	0.0	0.0	0.0	0.0	0.0	0.0	2.5	2.0	5.9	4.4	7.0	4.1	16.7	24.2	36.4	45.7	121.6	181.2
	直腸	C19-C20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.3	10.3	13.6	8.1	22.8	10.7	27.0	33.8
	肝および肝内胆管	C22	3.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2	7.0	4.1	3.0	22.2	27.3	88.6	121.6	113.6
	胆のう・胆管	C23-C24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.6	8.2	9.1	18.1	20.5	48.3	57.4	107.5
	膵臓	C25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.7	2.3	14.4	13.6	48.4	43.2	69.8	87.8	135.1
	喉頭	C32	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	肺	C33-C34	0.0	0.0	0.0	0.0	0.0	0.0	2.5	0.0	0.0	4.4	4.6	14.4	16.7	30.2	52.4	83.3	168.8	267.1
	皮膚	C43-C44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	1.5	0.0	2.3	0.0	0.0	12.3
	乳房	C50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.9	5.9	22.2	23.2	47.4	34.9	28.2	29.6	37.6	54.0	61.4
	子宮	C53-C55	0.0	0.0	0.0	0.0	0.0	2.7	2.5	2.0	3.9	15.6	9.3	8.2	10.6	10.1	18.2	26.9	16.9	27.6
	子宮頸部	C53	0.0	0.0	0.0	0.0	0.0	2.7	0.0	2.0	3.9	13.3	0.0	2.1	4.5	2.0	6.8	10.7	6.8	3.1
	子宮体部	C54	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.0	6.2	6.1	8.1	9.1	10.7	0.0	9.2
	卵巣	C56	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.9	8.9	9.3	8.2	19.7	4.0	15.9	21.5	33.8	27.6
	膀胱	C67	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.0	6.8	13.4	23.6	30.7
	腎・尿路（膀胱除く）	C64-C66 C68	0.0	0.0	0.0	0.0	2.7	0.0	0.0	0.0	0.0	4.4	0.0	0.0	4.5	8.1	4.6	18.8	10.1	30.7
	脳・中枢神経系	C70-C72	0.0	0.0	0.0	0.0	0.0	0.0	2.5	0.0	0.0	2.2	0.0	0.0	3.0	0.0	0.0	2.7	0.0	0.0
	甲状腺	C73	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	0.0	3.0	2.0	0.0	5.4	6.8	15.4
悪性リンパ腫	C81-C85 C96	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.6	6.2	6.1	8.1	27.3	21.5	33.8	58.3	
多発性骨髄腫	C88-C90	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	4.5	4.0	6.8	16.1	13.5	9.2	
白血病	C91-C95	0.0	0.0	0.0	0.0	0.0	2.7	0.0	2.0	2.0	0.0	2.3	2.1	6.1	4.0	13.7	21.5	13.5	18.4	
男女計	全部位	000-C97	5.6	0.0	0.0	0.0	2.8	5.6	14.1	15.2	34.8	55.0	97.8	177.8	321.6	459.9	659.4	999.1	1,510.6	1,976.8
	口腔・咽頭	000-C14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	1.2	6.1	3.3	12.0	8.5	10.7	16.3	28.5	28.7
	食道	C15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	6.5	11.2	23.4	22.6	25.2	48.9	28.7
	胃	C16	0.0	0.0	0.0	0.0	0.0	0.0	2.6	0.0	8.2	3.5	12.2	23.9	57.6	72.2	103.5	139.1	205.6	329.1
	大腸（結腸・直腸）	C18-C20	0.0	0.0	0.0	0.0	0.0	0.0	1.3	1.0	3.1	4.7	13.5	15.2	36.0	49.9	76.2	94.7	158.8	238.5
	結腸	C18	0.0	0.0	0.0	0.0	0.0	0.0	1.3	1.0	3.1	3.5	6.1	4.3	20.0	35.0	44.0	62.2	122.2	189.9
	直腸	C19-C20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	7.3	10.8	16.0	14.9	32.1	32.6	36.6	48.6
	肝および肝内胆管	C22	1.9	0.0	0.0	0.0	0.0	0.0	1.3	0.0	2.0	3.5	8.6	6.5	17.6	39.3	61.9	131.7	150.7	139.1
	胆のう・胆管	C23-C24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	0.0	2.4	9.8	10.4	19.1	27.4	45.9	75.3	119.3
	膵臓	C25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	5.8	4.9	14.1	27.2	55.2	64.3	84.4	118.1	145.8
	喉頭	C32	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	1.1	1.6	1.1	3.6	0.0	2.0	0.0
	肺	C33-C34	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.0	3.1	4.7	11.0	34.7	58.4	91.3	138.1	235.3	350.2	415.2
	皮膚	C43-C44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2	1.6	2.1	1.2	1.5	4.1	19.9
	乳房	C50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	3.1	11.7	12.2	24.9	18.4	14.9	15.5	20.7	32.6	46.4
	膀胱	C67	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	1.1	0.8	5.3	11.9	17.8	34.6	57.4
	腎・尿路（膀胱除く）	C64-C66 C68	0.0	0.0	0.0	0.0	1.4	0.0	0.0	1.0	0.0	2.3	0.0	4.3	7.2	7				